



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/558,947	11/30/2005	Yusuke Konagai	YAMA:110	6641

37013 7590 01/10/2008  
ROSSI, KIMMS & McDOWELL LLP.  
P.O. BOX 826  
ASHBURN, VA 20146-0826

EXAMINER
----------

MONIKANG, GEORGE C

ART UNIT	PAPER NUMBER
----------	--------------

2615

MAIL DATE	DELIVERY MODE
-----------	---------------

01/10/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No.	Applicant(s)	
	10/558,947	KONAGAI, YUSUKE	
	Examiner	Art Unit	
	George C. Monikang	2615	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 30 November 2005.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-3 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☒ Certified copies of the priority documents have been received in Application No. 10/558,947.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>12/19/2007</u> .  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 103*

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al, JP 5-103391 A, in view of Sasaki et al, JP 9-233591 and further in view of Thiel, US Patent 7,003,124 B1. (The Tanaka et al and Sasaki et al reference are cited in IDS filed 7/21/2006)

4. Re Claim 1, Tanaka et al discloses an array speaker system including an array speaker (page 1: purpose), said array speaker system characterized in that a relatively large weight is imparted to a center speaker unit, and relatively small weights are imparted to peripheral speaker units in the array speaker (page 1: constitution), but fails to disclose which is constituted by a plurality of speaker units arranged in an array and

which emits audio signal beams with predetermined time differences therebetween so as to control sound directivity. However, Sasaki et al does (Sasaki et al, page 1: solution). The combined teachings of Tanaka et al and Sasaki et al also fail to disclose wherein differences between the weight are reduced with respect to low-frequency components of input audio signals in comparison with differences between the weights applied to high-frequency components. However, Thiel does (Thiel, fig. 2: the sub-woofer component has difficulty producing high gains because they do not have large enough drivers).

5. Taking the combined teachings of Tanaka et al, Sasaki et al and Thiel as a whole, one skilled in the art would have found it obvious to modify the array speaker system including an array speaker (page 1: purpose), said array speaker system characterized in that a relatively large weight is imparted to a center speaker unit, and relatively small weights are imparted to peripheral speaker units in the array speaker (page 1: constitution) of Tanaka et al with which is constituted by a plurality of speaker units arranged in an array and which emits audio signal beams with predetermined time differences therebetween so as to control sound directivity as taught in Sasaki et al (Sasaki et al, page 1: solution) with wherein differences between the weight are reduced with respect to low-frequency components of input audio signals in comparison with differences between the weights applied to high-frequency components as taught in Thiel (Thiel, fig. 2: the sub-woofer component has difficulty producing high gains because they do not have large enough drivers) to give the speaker array a more

enhanced sound effect and also so a similar sound directivity distribution be applied to both high-frequency and low frequency sounds equally.

6. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al, JP 5-103391 A, in view of Sasaki et al, JP 9-233591 and further in view of Satoh et al, US Patent 5,146,507.

7. Re Claim 2, Tanaka et al discloses an array speaker system including an array speaker (page 1: purpose), said array speaker system characterized in that with respect to high-frequency components of input audio signals, a relatively large weight is imparted to a center speaker unit, and relatively small weights are imparted to peripheral speaker units in the array speaker (page 1: constitution), but fails to disclose which is constituted by a plurality of speaker units arranged in an array and which emits audio signal beams with predetermined time differences therebetween so as to control sound directivity. However, Sasaki et al does (Sasaki et al, page 1: solution). The combined teachings of Tanaka et al and Sasaki et al also fail to disclose wherein with respect to low-frequency components of the input audio signals, a same weight is imparted to all of the center speaker unit and all of the peripheral speaker units in the array speaker. However, Satoh et al does (Satoh et al, fig. 1: the signals go through the same processing, thus have equivalent gain).

8. Taking the combined teachings of Tanaka et al, Sasaki et al and Satoh et al as a whole, one skilled in the art would have found it obvious to modify the array speaker system including an array speaker (page 1: purpose), said array speaker system

characterized in that with respect to high-frequency components of input audio signals, a relatively large weight is imparted to a center speaker unit, and relatively small weights are imparted to peripheral speaker units in the array speaker (page 1: constitution) of Tanaka et al with a plurality of speaker units arranged in an array and which emits audio signal beams with predetermined time differences therebetween so as to control sound directivity as taught in Sasaki et al (Sasaki et al, page 1: solution) with wherein with respect to low-frequency components of the input audio signals, a same weight is imparted to all of the center speaker unit and all of the peripheral speaker units in the array speaker as taught in Satoh et al (Satoh et al, fig. 1: the signals go through the same processing, thus have equivalent gain) to give the speaker array a more enhanced sound effect and also to improve the sound directivity.

9. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tanaka et al, JP 5-103391 A, in view of Sasaki et al, JP 9-233591 in view of Doidic et al, US Patent 5,789,689 and further in view of Thiel, US Patent 7,003,124 B1.

Re Claim 3, Tanaka et al discloses an array speaker system including an array speaker (page 1: purpose), with respect to the high-frequency components of input audio signals, a relatively large weight is imparted to a center speaker unit, and relatively small weights are imparted to peripheral speaker units in the array speaker (page 1: constitution); but fails to disclose which is constituted by a plurality of speaker units arranged in an array and which emits audio signal beams with predetermined time differences therebetween so as to control sound directivity. However, Sasaki et al does

(Sasaki et al, page 1: solution). The combined teachings of Tanaka et al and Sasaki et al fail to disclose said array speaker system characterized in that the input audio signals are divided into three frequency bands including low-frequency components, intermediate-frequency components, and high-frequency components (Doidic et al, col. 3, lines 1-10); with respect to the intermediate-frequency components of the input audio signals, differences between the weight imparted to the center speaker unit and the weights imparted to the peripheral speaker units in the array speaker are same weight is imparted to all of the center speaker unit and all of the peripheral speaker units in the array speaker (Doidic et al, col. 3, lines 1-10: signals go through the same processing), and with respect to low-frequency components of the input audio signals, a same weight is imparted to the center speaker unit and the peripheral speaker units in the array speaker without applying the time differences to the speaker units (Doidic et al, col. 3, lines 1-10: signals go through the same processing). However, Doidic et al does.

10. Taking the combined teachings of Tanaka et al, Sasaki et al and Doidic et al as a whole, one skilled in the art would have found it obvious to modify the array speaker system including an array speaker (page 1: purpose), with respect to the high-frequency components of input audio signals, a relatively large weight is imparted to a center speaker unit, and relatively small weights are imparted to peripheral speaker units in the array speaker (page 1: constitution) of Tanaka et al with which is constituted by a plurality of speaker units arranged in an array and which emits audio signal beams with predetermined time differences therebetween so as to control sound directivity as taught in Sasaki et al (Sasaki et al, page 1: solution) with said array speaker system

characterized in that the input audio signals are divided into three frequency bands including low-frequency components, intermediate-frequency components, and high-frequency components (*Doidic et al, col. 3, lines 1-10*); with respect to the intermediate-frequency components of the input audio signals, differences between the weight imparted to the center speaker unit and the weights imparted to the peripheral speaker units in the array speaker are same weight is imparted to all of the center speaker unit and all of the peripheral speaker units in the array speaker (*Doidic et al, col. 3, lines 1-10: signals go through the same processing*), and with respect to low-frequency components of the input audio signals, a same weight is imparted to the center speaker unit and the peripheral speaker units in the array speaker without applying the time differences to the speaker units (*Doidic et al, col. 3, lines 1-10: signals go through the same processing*) to give the speaker array a more enhanced sound effect and to give the user control over various parameters and also so a similar sound directivity distribution be applied to both high-frequency and low frequency sounds equally.

### **Contact**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George C. Monikang whose telephone number is 571-270-1190. The examiner can normally be reached on M-F. alt Fri. Off 7:30am-5:00pm (est).



Application/Control Number:  
10/558,947  
Art Unit: 2615


Page 8

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chin Vivian can be reached on 571-272-7848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

George Monikang

1/7/2008

  
WYAN CHIN  
SUPERVISOR, PATENT EXAMINER  
TECHNOLOGY CENTER 2000